

C - PROGRAM STRUCTURE

http://www.tutorialspoint.com/cprogramming/c_program_structure.htm

Copyright © tutorialspoint.com

Before we study basic building blocks of the C programming language, let us look a bare minimum C program structure so that we can take it as a reference in upcoming chapters.

C Hello World Example

A C program basically consists of the following parts:

- Preprocessor Commands
- Functions
- Variables
- Statements & Expressions
- Comments

Let us look at a simple code that would print the words "Hello World":

```
#include <stdio.h>

int main()
{
    /* my first program in C */
    printf("Hello, World! \n");

    return 0;
}
```

Let us look various parts of the above program:

1. The first line of the program `#include <stdio.h>` is a preprocessor command, which tells a C compiler to include `stdio.h` file before going to actual compilation.
2. The next line `int main` is the main function where program execution begins.
3. The next line `/*...*/` will be ignored by the compiler and it has been put to add additional comments in the program. So such lines are called comments in the program.
4. The next line `printf...` is another function available in C which causes the message "Hello, World!" to be displayed on the screen.
5. The next line **return 0;** terminates mainfunction and returns the value 0.

Compile & Execute C Program:

Lets look at how to save the source code in a file, and how to compile and run it. Following are the simple steps:

1. Open a text editor and add the above-mentioned code.
2. Save the file as `hello.c`
3. Open a command prompt and go to the directory where you saved the file.
4. Type `gcc hello.c` and press enter to compile your code.
5. If there are no errors in your code the command prompt will take you to the next line and would generate `a.out` executable file.
6. Now, type `a.out` to execute your program.

7. You will be able to see "*Hello World*" printed on the screen

```
$ gcc hello.c  
$ ./a.out  
Hello, World!
```

Make sure that gcc compiler is in your path and that you are running it in the directory containing source file hello.c

Loading [Mathjax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js